

Lesson 8: Drawing Triangles

Classwork

Opening Exercises 1–2

1. Use your protractor and ruler to draw a right triangle $\triangle DEF$. Label all sides and angle measurements.
 - a. Predict how many of the right triangles drawn in class are identical to the triangle you have drawn.
 - b. How many of the right triangles drawn in class are identical to the triangle you drew? Were you correct in your prediction?
2. Given the following three sides of triangle $\triangle ABC$, use your compass to copy the triangle. The longest side has been copied for you already. Label the new triangle as $\triangle A'B'C'$ and indicate all side and angle measurements. For a reminder of how to begin, refer to Lesson 6, Exploratory Challenge question 10.

A _____ B

B _____ C

A _____ C

A _____ C

Exploratory Challenge

- A triangle is to be drawn provided the following conditions: the measurement of two angles is 30° and 60° and the length of a side is 10 cm. Note that *where* each of these measurements is positioned is not fixed. How is the premise of this problem different from Opening Exercise 2?
- Do you think it will be possible to draw more than one triangle with these provided measurements so that the triangles drawn will be different from each other? Or do you think attempting to draw more than one triangle with these measurements will just keep producing the same triangle, just turned around or flipped about?
- Based on the provided measurements, draw triangle $\triangle ABC$ so that $\angle A = 30^\circ$, $\angle B = 60^\circ$, and $AB = 10$ cm. Describe how the 10 cm side is positioned.

d. Now, using the same measurements, draw triangle $\triangle A'B'C'$ so that $\angle A' = 30^\circ$, $\angle B' = 60^\circ$, and $AC = 10$ cm.

e. Lastly, again, using the same measurements, draw triangle $\triangle A''B''C''$ so that $\angle A'' = 30^\circ$, $\angle B'' = 60^\circ$, and $B''C'' = 10$ cm.

f. Are the three drawn triangles identical? Justify your response using measurements.

- g. Draw triangle $\triangle A'''B'''C'''$ so that $\angle B''' = 30^\circ$, $\angle C''' = 60^\circ$, and $B'''C''' = 10$ cm. Is it identical to any of the three triangles already drawn?
- h. Draw another triangle that meets the criteria of this challenge. Is it possible to draw any other triangles that would be different from the three drawn above?

Problem Set

1. Draw three different acute triangles $\triangle XYZ$, $\triangle X'Y'Z'$, and $\triangle X''Y''Z''$ so that one angle in each triangle is 45° . Label all sides and angle measurements. Why are your triangles not identical?
2. Draw three different equilateral triangles $\triangle ABC$, $\triangle A'B'C'$, and $\triangle A''B''C''$. A side length of $\triangle ABC$ is 3 cm. A side length of $\triangle ABC$ is 5 cm. A side length of $\triangle ABC$ is 7 cm. Label all sides and angle measurements. Why are your triangles not identical?
3. Draw as many isosceles triangles that satisfy the following conditions: one angle measures 110° and one side measures 6 cm. Label all angle and side measurements. How many triangles can be drawn under these conditions?
4. Draw three non-identical triangles so that two angles measure 50° and 60° and one side measures 5 cm.
 - a. Why are the triangles not identical?
 - b. Based on the diagrams you drew for part (a) and for Problem 2, what can you generalize about the criterion of three given angles in a triangle? Does this criterion determine a unique triangle?