


Lesson 6: Rotations of 180 Degrees

Classwork


Example 1

The picture below shows what happens when there is a rotation of 180° around center O .



Example 2


The picture below shows what happens when there is a rotation of 180° around center O , the origin of the coordinate plane.




[Type here]

Exercises

- Using your transparency, rotate the plane 180 degrees, about the origin. Let this rotation be $Rotation_0$. What are the coordinates of $Rotation_0(2, -4)$?




- Let $Rotation_0$ be the rotation of the plane by 180 degrees, about the origin. Without using your transparency, find $Rotation_0(-3, 5)$.




[Type here]

3. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Let L be the line passing through $(-6, 6)$ parallel to the x -axis. Find $Rotation_0(L)$. Use your transparency if needed.




4. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Let L be the line passing through $(7, 0)$ parallel to the y -axis. Find $Rotation_0(L)$. Use your transparency if needed.

[Type here]




5. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Let L be the line passing through $(0,2)$ parallel to the x -axis. Is L parallel to $Rotation_0(L)$?




6. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Let L be the line passing through $(4,0)$ parallel to the y -axis. Is L parallel to $Rotation_0(L)$?

[Type here]




7. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Let L be the line passing through $(0, -1)$ parallel to the x -axis. Is L parallel to $Rotation_0(L)$?



8. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Is L parallel to $Rotation_0(L)$? Use your


[Type here]

transparency if needed.



[Type here]

9. Let $Rotation_0$ be the rotation of 180 degrees around the origin. Is L parallel to $Rotation_0(L)$? Use your transparency if needed.



[Type here]


Lesson Summary

- A rotation of 180 degrees around O is the rigid motion so that if P is any point in the plane, P, O and $\text{Rotation}(P)$ are *collinear* (i.e., lie on the same line).
- Given a 180-degree rotation, R_O around the origin O of a coordinate system, and a point P with coordinates (a, b) , it is generally said that $R_O(P)$ is the point with coordinates $(-a, -b)$.

Theorem. Let O be a point not lying on a given line L . Then the 180-degree rotation around O maps L to a line parallel to L .

Problem Set



Use the following diagram for problems 1–5. Use your transparency, as needed.



1. Looking only at segment BC , is it possible that a 180° rotation would map BC onto $B'C'$? Why or why not?
2. Looking only at segment AB , is it possible that a 180° rotation would map AB onto $A'B'$? Why or why not?
3. Looking only at segment AC , is it possible that a 180° rotation would map AC onto $A'C'$? Why or why not?
4. Connect point B to point B' , point C to point C' , and point A to point A' . What do you notice? What do you think that point is?
5. Would a rotation map triangle ABC onto triangle $A'B'C'$? If so, define the rotation (i.e., degree and center). If not, [Type here]

explain why not.

6. The picture below shows right triangles ABC and $A'B'C'$, where the right angles are at B and B' . Given that $AB = A'B' = 1$, and $BC = B'C' = 2$, AB is not parallel to $A'B'$, is there a 180° rotation that would map $\triangle ABC$ onto $\triangle A'B'C'$? Explain.



[Type here]